








A2W-TB-WC1 EU1BB

Технические характеристики

Application	Wireless Pushbutton switch
Area	Europe (EU)
Bezel material	Plastic
Color	Black
Bezel color	Black
Frequency	868.3 MHz
Profile	Mushroom
Reset method	Momentary
Shape	Round
Size	40 mm
Suitable for illumination	✓

Дополнительные принадлежности

	A2W-AT2.5-WC1	High-sensitivity magnetic base antenna for A2W Master unit receiver, cable length 2.5 m
	A2W-H-WC1	Holder for Wireless Mushroom/Full guard button
	A2W-RBN-WC1 EU	Master unit receiver, EU frequency 868.3 MHz, 8 NPN transistor outputs, 24 VDC
	A2W-RBP-WC1 EU	Master unit receiver, EU frequency 868.3 MHz, 8 PNP transistor outputs, 24 VDC
	A2W-S-WC1	Slave button strap for A2W pushbutton

Библиотека дву-
/трехмерных CAD
рисунков



A2W Руководство пользователя

EN PDF 2,1 МБ



A2W for EU Брошюра

EN PDF 4,5 МБ



A2W for EU Спецификация

EN PDF 4,3 МБ



A2W for South Africa Брошюра

EN PDF 6,7 МБ



Wireless Switch Support Tool

Программное
обеспечение

EN ZIP 74,5 МБ

УСЛОВИЯ ПОЛЬЗОВАНИЯ ВЕБ-САЙТОМ

Этот PDF-документ был создан на основании веб-сайта Европейского подразделения промышленной автоматизации компании OMRON 9 August, 2022. Нажмите здесь, чтобы ознакомиться с [уведомление о правах](#).