



**FZ-SQ010F**

# Технические характеристики

Number of pixels	0.3 MP
Focus distance	38-60 mm
Autofocus	×
Camera family	FH/FZ
Camera type	Color
Frame rate	60 fps
Image width	752 pixels
Image height	480 pixels
Scan type	Area scan
Shutter type	Global
Image sensor format	1/3"
Lens mount	None
Pixel size	6.0 $\mu\text{m}$
Degree of protection (IP)	IP10

## Дополнительные принадлежности



**FQ-XF1**

FQ Polarizing Filter, (enclosed with sensor)



**FQ-XL**

Accessory FQ/FQ2 Mounting Bracket, (enclosed with sensor)



**FZ-VS3 10M**

Accessory vision, FH and FZ, standard camera cable, 10m



**FZ-VS3 3M**

Accessory vision, FH and FZ, standard camera cable, 3m



**FZ-VS3 5M**

Accessory vision, FH and FZ, standard camera cable, 5m



**FZ-VS4 15M**

Accessory vision, FH and FZ, camera cable, long distance, 15m



**FZ-VSB3 10M**

Accessory vision, FH and FZ, camera cable, bend resistant, 10 m



**FZ-VSB3 5M**

Accessory vision, FH and FZ, camera cable, bend resistant, 5 m

**FZ-VSJ**

FZ Camera cable extension hub (max 3 cables 45m)



**FZ-VSL3 10M**

Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10 m



**FZ-VSL3 3M**

Accessory vision, FH and FZ, camera cable, standard, right angled connector, 3 m



**FZ-VSL3 5M**

Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m



**FZ-VSLB3 10M**

Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector, 10m



**FZ-VSLB3 5M**

Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector, 5m

Библиотека дву-  
/трехмерных CAD  
рисунков



**FH**  
Справочник по командам

EN PDF 2,8 МБ



**FH Series Vision System - Sysmac Studio**  
Руководство по эксплуатации

EN PDF 11,9 МБ



**FH-Sim Installation V631**  
Программное обеспечение

EN ZIP 34,1 МБ



**FH-Sim Installation V640**  
Программное обеспечение

EN ZIP 41,9 МБ



**FH-UAI - FH Application Software**  
Справочное руководство

EN PDF 47,7 МБ



**FH-UAI - FH Application Software**  
Руководство по эксплуатации

EN PDF 1,5 МБ



**FH-050(-0) - Image Processing System**  
Инструкция

EN PDF 687,9 КБ




**FH-series Vision System**  
Спецификация

EN PDF 30,1 МБ



**FH/FHV Launcher V631**  
Программное обеспечение

EN ZIP 488,4 КБ



**FH/FHV Launcher V640**  
Программное обеспечение

EN ZIP 488,9 КБ



**FH/FHV Series Vision System**  
Руководство по сетевым интерфейсам

EN PDF 13,1 МБ



**FH/FHV Series Vision System - Processing Item Function**  
Справочное руководство

EN PDF 49,1 МБ



**FH/FZ5 Series Vision System**  
Руководство пользователя

EN PDF 43,2 МБ



**Selection Guide for Vision Sensors**  
Брошюра

EN PDF 990,8 КБ



**Sysmac**  
Каталог

RU PDF 44,2 МБ



**Sysmac: A Fully Integrated Platform**  
Брошюра

EN PDF 10,4 МБ



**Vision Accessory**  
Каталог

EN PDF 56,4 МБ



**Xpectia FH**  
Брошюра

RU PDF 7,8 МБ

## УСЛОВИЯ ПОЛЬЗОВАНИЯ ВЕБ-САЙТОМ

Этот PDF-документ был создан на основании веб-сайта Европейского подразделения промышленной автоматизации компании OMRON 8 August, 2022. Нажмите здесь, чтобы ознакомиться с [уведомление о правах](#).

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU