



## GX-ID1622

Удаленный терминал EtherCAT. 16 входов, PNP, 3-проводное подключение

# Технические характеристики

Communication port(s)	EtherCAT Slave
Type of module	Digital I/O
I/O connection type	Screw
Connection method	3-wire
Number of digital inputs	16
Digital input type	PNP
Permitted voltage at input	0-26.4 V
Number of digital outputs	0
Digital output type	None
Short-circuit protected outputs	×
Number of IOV (V+) terminals	18
Number of IOG (V-) terminals	18
Number of COM terminals	0
I/O system	None
Degree of protection (IP)	IP20
Height	52 mm
Width	200 mm
Depth	68.9 mm
Weight	470 g

## Дополнительные принадлежности



**GX-JC03**

3-port EtherCAT Junction module, 24 VDC power supply



**GX-JC06**

6-port EtherCAT Junction module, 24 VDC power supply

**GX-JC06-H**

6-port EtherCAT Junction module, 24 VDC power supply, with node switches



**XS6W-6LSZH8SS100CM-Y**

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 1 m



**XS6W-6LSZH8SS200CM-Y**

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 2 m



**XS6W-6LSZH8SS20CM-Y**

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.2 m



**XS6W-6LSZH8SS500CM-Y**

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 5 m



**XS6W-6LSZH8SS50CM-Y**

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.5 m

Библиотека дву-  
/трехмерных CAD  
рисунков



## EtherCAT Junction Slave

Брошюра

EN PDF 1,0 МБ



## GX-series EtherCAT Remote I/O Terminal

Спецификация

EN PDF 5,8 МБ



## GX-series EtherCAT Slave Units

Руководство пользователя

EN PDF 10,9 МБ



## GXseries(SafetyPrecautions)

Инструкция

EN PDF 373,9 КБ



## NJ-series -[EtherCAT]- GX-series Digital I/O Terminal

Руководство по подключению

EN PDF 1,7 МБ



## Omron GX-Digital IO

Файл EtherCAT ESI

EN ZIP 1,1 МБ



## Sysmac

Каталог

RU PDF 44,2 МБ



## Sysmac: A Fully Integrated Platform

Брошюра

EN PDF 10,4 МБ