

GX-OD3228

Технические характеристики

Communication port(s)	EtherCAT Slave
Type of module	Digital I/O
I/O connection type	e-Con (plug not included)
Connection method	3-wire
Number of digital inputs	0
Digital input type	None
Number of digital outputs	32
Digital output type	PNP
Permitted voltage at output	0-26.4 V
Output current	0.5 A
Short-circuit protected outputs	✘
Number of IOV (V+) terminals	36
Number of IOG (V-) terminals	36
Number of COM terminals	0
I/O system	None
Degree of protection (IP)	IP20
Height	52 mm
Width	180 mm
Depth	49.8 mm

Дополнительные принадлежности



GX-JC03

3-port EtherCAT Junction module, 24 VDC power supply



GX-JC06

6-port EtherCAT Junction module, 24 VDC power supply

GX-JC06-H

6-port EtherCAT Junction module, 24 VDC power supply, with node switches



XS6W-6LSZH8SS100CM-Y

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 1 m



XS6W-6LSZH8SS200CM-Y

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 2 m



XS6W-6LSZH8SS20CM-Y

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.2 m



XS6W-6LSZH8SS500CM-Y

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 5 m



XS6W-6LSZH8SS50CM-Y

Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.5 m

Библиотека дву-
/трехмерных CAD
рисунков



EtherCAT Junction Slave

Брошюра

EN PDF 1,0 МБ



GX-series EtherCAT Remote I/O Terminal

Спецификация

EN PDF 5,8 МБ



GX-series EtherCAT Slave Units

Руководство пользователя

EN PDF 10,9 МБ



GXseries(SafetyPrecautions)

Инструкция

EN PDF 373,9 КБ



NJ-series -[EtherCAT]- GX-series Digital I/O Terminal

Руководство по подключению

EN PDF 1,7 МБ



Omron GX-Digital IO

Файл EtherCAT ESI

EN ZIP 1,1 МБ



Sysmac

Каталог

RU PDF 44,2 МБ



Sysmac: A Fully Integrated Platform

Брошюра

EN PDF 10,4 МБ